





UVP: unser empfohlener Verkaufspreis in Euro inkl. 20% MWSt (Österreich) bzw. 19% MWSt (Deutschland)

Alle Preisangaben vorbehaltlich Preisänderungen und Irrtum - Stand August 2026.

Eigentumsvorbehalt: Ware bleibt bis zur vollständigen Bezahlung Eigentum von Kircher HiFi. Gerichtsstand ist das LG Graz.

Kircher HiFi
Körblergasse 30
A-8010 Graz
ATU65266428

www.walterkircher.com
walter@walterkircher.com
+43 664 4499275
Bankverbindung: BAWAG P.S.K. (IBAN: AT421400086310604064, BIC: BAWAATWW)



KIRCHER HI-FI



WWW.WALTERKIRCHER.COM

PRODUCT	DESCRIPTION	TYPE / QUANTITY	UVP
ROLLERBLOCK® SERIES 2+ 	Ultra Precision Ball Bearing Isolation footer system <i>"Set" includes Series 2 bodies, Grade 10 Tungsten Carbide bearings, 2" x 3" Rollerplates, presentation wood box</i> Series 2 body size: 2" x 1" x 3/4" Height with ball: 1 1/8"	Set of 3	1100,00
		W/Grade 2.5 Superballs	1790,00
		Set of 4	1440,00
		W/Grade 2.5 Superballs	2300,00
		Single, includes 1 Series 2 body & 1 G10 ball	390,00
DOUBLE STACK KIT 	Series 2 bodies (only) for "DOUBLE STACKING" Series 2+ Rollerblock sets	Set of 3 bodies	760,00
		Set of 4 bodies	990,00
		Single (one body)	320,00
ROLLERBLOCK® JR 	Entry Level Ball Bearing Isolation/Coupling footer <i>Includes black anodized 6061 aluminum bodies and Grade 25 chromium steel bearings</i> Bodies: 1.875"/47.6mm D x 0.6"/15mm thick Total height with ball: 1.25"/32mm	Set of 3 includes 6 Jr bodies and 3 Grade 25 bearings	500,00
		Set of 4 includes 8 Jr bodies and 4 Grade 25 bearings	640,00
		Single includes 2 Jr bodies and 1 Grade 25 bearing	190,00
ROLLERBLOCK® JR+ 	Mid Level Ball Bearing Isolation/Coupling footer <i>Includes Rollerblock JR bodies PLUS higher performance, ultra-precision Grade 10 Tungsten Carbide bearings</i>	Set of 3 includes 6 Jr bodies and 3 Grade 10 bearings	660,00
		Set of 4 includes 8 Jr bodies and 4 Grade 10 bearings	870,00
		Single includes 2 Jr bodies and 1 Grade 10 bearing	240,00
ROLLERBLOCK® JR HDSE 	"Heavy Duty Special Edition" Rollerblock Jr system <i>Superior RBJR with 7075 aircraft alloy and "Hard Coat" anodizing</i> Includes Grade 10 Tungsten Carbide bearings; Grade 2.5 Superball packages optional	Set of 3: 6 HD bodies + 3 Grade 10 bearings	840,00
		Set of 4: 8 HD bodies + 4 Grade 10 bearings	1100,00
		HDSE+G2.5 Set of 3 w 3 Grade 2.5 Superballs	1500,00
		HDSE+G2.5 Set of 4 w 4 Grade 2.5 Superballs	1960,00
		SINGLE: 2 bodies + 1 G10 ball	290,00
GRADE 10 TUNGSTEN BALL 	High precision Tungsten Carbide bearing upgrade for entry level Rollerblock JR systems	Each	90,00
GRADE 2.5 SUPERBALL 	State-of-the-art Tungsten Carbide ball; ultimate performance upgrade for all Rollerblock systems	Each	340,00
ROLLERPLATE 	2" x 3" Polished stainless steel plate	Each	80,00

PRODUCT	DESCRIPTION	SIZE in INCHES W x D		UVP
SEGUE PLATFORM 	Entry Level Damping / Isolation Platform For all components <i>w/ clear anodized aluminum top</i> 1.4" / 36mm thickness No practical weight limit <i>All sizes available on special order</i>	up to 9x14 (half)		440,00
		19x14 (standard)		620,00
		19x18 (medium)		780,00
		19x21 (large)		970,00
		19x24 (X-large)		1130,00
SEGUE STEALTH 	Damping / Isolation Platform <i>w/ double aluminum-layered anodized top</i> 1.46" / 37mm thickness No practical weight limit <i>All sizes available on special order</i>	19x14 (standard)		880.00
		19x18 (medium)		1080,00
		19x21 (large)		1440,00
		19x24 (X-large)		1730,00
SEGUE ISO  	Vertical Wave LF* Isolation Platform Ideal for turntables; effective with all components Clear Anodized aluminum top with separated, textured black edgebanding 2 1/8" / 55mm height No Load 1 5/8" / 42mm height Max Load SPECIFY LD for up to 35 lb / 16 kG load SPECIFY MD for up to 75 lb / 34 kG lbs load <i>Higher weight loads and larger sizes available</i> <i>* Low Frequency</i>	19x14 (standard)		900,00
		19x18 (medium)		1100,00
		21x19 (large)		1280,00
		24x19 (X-large)		1440,00
ISO FOOTER 3/4" / 2cm No Load 1/4" 7mm Max Load 	Precision, Concentric Stainless Steel spring isolator (for ISO leveling/augmentation) Use separately or with ISO platforms. 7 lb / 3 kG (LD) or 15 lb / 7 kG (MD) rating EACH	LD (7 lbs / 3 kG)		120,00
		MD (15 lbs / 7 kG)		120,00
SEGUE ISO STEALTH 	Black Top LF Isolation Platform w/ double aluminum-layered anodized top 2 1/8"/56mm no load 1 5/8"/43mm thick max load SPECIFY LD Version for up 18 kG load SPECIFY MD Version for 18-35 kG load <i>All sizes available on special order</i>	19x14 (standard)		1160,00
		19x18 (medium)		1400,00
		21x19 (large)		1760,00
		24x19 (X-large)		2040,00
SUPER SEGUE ISO  Also available in Stealth Edition black top; Add \$50 up to 21x19, \$75 for 24x19	Heavy Duty Turntable Isolation Platform MD Version for up to 75 lb / 34 kG load Available for up to 150 lb / 68 KG load 3.5" / 91mm thick no load; 3" / 78mm thick max load <i>All sizes available upon request</i>	19x14 (standard)		1690,00
		19x18 (medium)		2160,00
		21x19 (large)		2530,00
		24x19 (X-large)		2850,00

PRODUCT	DESCRIPTION / OPTIONS	SIZE in inches W x D		UVP
SVELTE SHELF 	5/8" / 16mm thick brushed/polished Stainless Steel Platform. All sizes available on special order.	8x10		650,00
		10x12		730,00
		10x14		790,00
	OPTIONS (must be packaged with Shelf) #1: "WC" - w/ 3 Precision Couplers +150,00 #2: "WSC" - w/ 3 SUPERCouplers +310,00 #3: "WRB" - w/ Rollerblock JR+	12x14		890,00
		19x14		1040,00
		14x19		1040,00
		12x22		
		19x18		1270,00
		19x21		1480,00
		24x19		
SVELTE PLUS 	1 1/8" / 28mm thick brushed/polished Stainless Steel Platform. All sizes available on special order.	8x10		730,00
		10x12		850,00
		10x14		880,00
	OPTIONS (must be packaged with Shelf) #1: "WC" - w/ 3 Precision Couplers +150,00 #2: "WSC" - w/ 3 SUPERCouplers +310,00 #3: "WRB" - w/ Rollerblock JR+	12x14		990,00
		19x14		1200,00
		14x19		1200,00
		12x22		
		19x18		1390,00
		19x21		1680,00
		24x19		
SPEAKER SETS PRICING LISTED BELOW	2 Units of either Svelte Shelf or Svelte Plus as above for use with loudspeakers.	Pricing is 2X standard pricing listed above. Sets are packaged in one box.		
SVELTE SPEAKER SET Two 5/8" thick Stainless Steel Platforms as above		SVELTE PLUS SPEAKER SET Two 1 1/8" thick Stainless Steel Platforms as above		
8x10		1200,00		
10x12		1350,00		
10x14		1450,00		
12x14		1660,00		
19x14		1940,00		
14x19		1940,00		
12x22				
19x18		2390,00		
19x21		2780,00		
24x19				
8x10		1350,00		
10x12		1540,00		
10x14		1620,00		
12x14		1830,00		
19x14		2230,00		
14x19		2230,00		
12x22				
19x18		2640,00		
19x21		2950,00		
24x19				

PRODUCT	DESCRIPTION	SIZE in inches WxD		UVP
ULTRA PLATFORM 	Classic Damping / Isolation Constrained Layer Platform For Active and Passive Components 3.5" / 89mm thickness No practical weight limit All sizes available upon request Precision Couplers Included <i>*Couplers OPTIONAL with 9x14 "Half" size</i>	up to 9x14 (half)*		880,00
		19x14 (standard)		1530,00
		19x18 (medium)		1770,00
		19x21 (large)		2140,00
		19x24 (X-large)		2390,00
		27.5x21.5 (XX-large)		3590,00
SUPER PLUS 	Classic Damping / Isolation Constrained Layer Platform Best for Loudspeakers 2.75" / 70mm thickness No practical weight limit All sizes available upon request Precision Couplers Included <i>*Couplers OPTIONAL with 9x14 "Half" size AND SPEAKER SETS (see below)</i>	up to 9x14 (half)*		880,00
		19x14 (standard)		1530,00
		19x18 (medium)		1770,00
		19x21 (large)		2140,00
		19x24 (X-large)		2390,00
		27.5x21.5 (XX-large)		3590,00
STEALTH EDITION 	Additional (3rd) Black anodized aluminum layer added to Ultra Platform or Super Plus tops Add prices to pricing of platforms. Retrofitting (to existing or damaged platforms) available	up to 9x14 (half)*		+260,00
		19x14 (standard)		+350,00
		19x18 (medium)		+430,00
		19x21 (large)		+520,00
		19x24 (X-large)		+610,00
		27.5x21.5 (XX-large)		+780,00
PRO AMPSTAND  5-Footer system shown	ADDS 4 or 5 solid aircraft aluminum Terminator Cone Feet with Tellurium Copper reversible spikes to Ultra or Super Plus platforms Specify Black, Brushed or Silver feet Adds 3 1/2" / 90mm height ± 0.5"/1cm (level adjustable) Retrofitting to older platforms available			
		4 FOOTERS (< 150 lbs)		1180,00
		5 FOOTERS (> 150 lbs)		1440,00
SPEAKER STAND 	Adds Tellurium Copper spikes and locknuts to Super Plus or Ultra Platforms <i>Spikes are recommended for best results on carpeted floors.</i>			
		Per Platform		670,00
SUPER PLUS SPEAKER SETS	2 Units of Super Plus, sold in pairs for use with loudspeakers. COUPLERS OPTIONAL	14x19		2960,00
		Other Sizes		

PRODUCT	DESCRIPTION	SIZE/QUANTITY	UVP
QUANTUM SIGNATURE   Motor Cutout Option  Pro Ampstand Option	State-of-the-Art Isolation/Damping Platform <i>Four separate Quadrant top sections on Vertical Wave Isolation bottom section</i> <i>All stainless steel technology</i> 4 Precision SuperCouplers Included 89mm thickness All Sizes Available - call/email for pricing Pro Ampstand Version available <i>All units are made to order and optimized for desired weight load</i> <i>Allow 6-8 weeks for completion</i>	19x14 (standard)	5410,00
		19x18 (medium)	6270,00
		21x19 (large)	7200,00
		24x19 (X-large)	8930,00
		27.5x21.5 (XX-large)	10740,00
		27.5x21.5 "HRX" motor cutout version	
		Pro Ampstand Option ADDS 4 Special Edition Cone Feet with Tellurium Copper adjustable spikes	+1410,00
PRECISION COUPLER 	20.6mm thick, 47.6mm Diameter Solid 7075 aluminum coupling disc with 1/4-20 threaded hole on obverse	EACH	100,00
PRECISION SUPERCOUPLER 	Same size and 7075 body as Precision Coupler but adds ultra-hard black Hard Coat anodized finish and Matrix system on bottom surface	EACH	180,00
PRECISION ULTRACOUPLER 	Same configuration as SuperCoupler, but with body of solid, ultra-pure "OFC" oxygen-free-copper. Hand-polished copper finish	EACH	310,00
POINT PODS 	8mm thick x 51mm x 76mm Damping / Isolation Pad 40 kG weight limit EACH	Set of 3	450,00
		Set of 4	570,00
		Single (one unit)	170,00
FAT PADZ 	22mm thick x 51mm x 76mm Damping / Isolation Pad 40 kG weight limit EACH	Set of 3	330,00
		Set of 4	680,00
		Single (one unit)	190,00
ULTRA PADZ 	41mm thick x 51mm x 76mm Damping / Isolation Pad 40 kG weight limit EACH	Set of 3	620,00
		Set of 4	770,00
		Single (one unit)	230,00
CLASSIC FOOTER DAMPING INSERT KITS  Classic Kit shown	Set of 4 Inserts replaces original VPI turntable rubber isolators SPECIFY TYPE REQUIRED: 1) CLASSIC turntables (and HRX feet) 2) PRIME turntables (Prime footers)	for Classic tables	
		for Prime tables	
		Prime Reference (with 4 Precision SuperCouplers)	
COUPLER SETSCREW 	1/4-20 x 11mm Stainless Steel setscrew for joining Couplers and Rollerblock Jr.	Each	2,00